

مذكرة المعلومات المتعلقة بالصحة

تم إعداد هذه المذكرة عن المعلومات المتعلقة بالصحة بالتشاور مع مركز الطب البيولوجي لرواندا، وتولي الاهتمام الواجب لتعاميم الصحة العامة الحالية، والحالة مؤخراً في ما يتعلق بحالات كوفيد-19 في مدينة كيغالي. إنها تنفيذ في ضمان السلامة الجماعية، وحسن سير أعمال الجمعية العامة الـ 145 والاجتماعات ذات الصلة. يُتوقع امتثالكم من أجل التنفيذ الفعال لبروتوكولات الصحة.

ولم تعد استمارة تحديد موقع المسافر ملزمة لدخول رواندا.

التحضيرات ما قبل المغادرة

- ينبغي على جميع المندوبين، والمشاركين أن يكون بحوزتهم شهادة تلقيح ضد كوفيد-19، بما في ذلك، التفاصيل الكاملة لصاحب البطاقة، ومعلومات عن اللقاحات المعطاة، والمؤسسة التي قامت باللقاح، وتاريخ إتمام اللقاح (إما جرعة واحدة أو مزدوجة للسلسلة الأولية المتممة بحسب نوع اللقاح). يتم قبول جميع اللقاحات المعترف بها من قبل منظمة الصحة العالمية، وسبوتنيك V Sputnik V. عند الاقتضاء، سيتم قبول أيضاً شهادة تعافي بدلاً من شهادة تلقيح.
- يُطلب من جميع المندوبين والمشاركين أن يكون لديهم تأمين صحي دولي يغطي جميع تكاليف الرعاية الصحية في حال حدوث إصابة بكوفيد-19 تتطلب الدخول إلى المستشفى. يُنصح جميع المندوبين والمشاركين بالقيام باختبار بي سي آر PCR قبل المغادرة. وكتدبير وقائي، سيقوم جميع موظفي الاتحاد البرلماني الدولي باختبار بي سي آر PCR، قبل 48 ساعة من مغادرتهم.

- إن شهادة التلقيح ضد الحمى الصفراء غير مطلوبة للمسافرين القادمين من بلدان لا تستوطن فيها الحمى الصفراء، لكن شهادة التلقيح ضد الحمى الصفراء مطلوبة للمسافرين القادمين من بلدان تستوطن فيها الحمى الصفراء، وأي بلد يرد فيه تفشياً نشطاً لانتقال الحمى الصفراء. وتتوفر إرشادات عن الوقاية من الحمى الصفراء على الرابط التالي (مرفق رقم 1):

https://www.rbc.gov.rw/fileadmin/user_upload/Public_Notice_on_Yellow_Fever_Prevention.pdf

- وتتوفر إرشادات بشأن الوقاية من الملاريا على الرابط التالي (مرفق رقم 2):

<https://www.ipurwanda2022.rw/index.php?eID=dumpFile&t=f&f=51310&token=2d4e3d9600b1d3e1dd97571975810cfa2d518317>

الإجراءات في مكان عقد الجمعية العامة والفعاليات الاجتماعية

- **الشرط من أجل زيارة رئيس الدولة:** بغض النظر عن تاريخ الوصول، ينبغي على جميع المندوبين، والمشاركين أن يقوموا باختبار (المستضد السريع لكوفيد-19) يوم 10 تشرين الأول/أكتوبر 2022. وسيظل هذا الاختبار ساري المفعول حتى نهاية الجمعية العامة. بالنسبة لأولئك الذين يدخلون مركز كيغالي للمؤتمرات (KCC) لأول مرة في 11 تشرين الأول/أكتوبر، ستكون الاختبارات متاحة في موقع اختبار كوفيد-19 حتى الساعة 09:30. وهذا شرط يقتضيه البروتوكول الصحي لرئيس الدولة.
- سيتم القيام باختبارات المستضدات مجاناً في 10 و 11 تشرين الأول/أكتوبر، بهدف ضمان بيئة آمنة لجميع المندوبين. سيرد ممر ذو أولوية لرؤساء البرلمانات.
- إذا كانت نتيجة الاختبار إيجابية، يُعالج المشارك على النحو المبين في المبادئ التوجيهية الوطنية لإدارة كوفيد-19 المتاحة على الموقع الإلكتروني التالي: www.rbc.gov.rw، على نفقته/الخاصة، ويتلقى كل الدعم اللازم من أفرقة المؤتمر. يرجى التأكد من أن تأمين السفر الخاص بكم يغطي تكاليف عدوى كوفيد-19 المحتملة، والعلاج، والإقامة في الحجر الصحي.
- **يوصى بشدة بارتداء كمامة (تغطي الأنف والفم) في جميع الأوقات في مركز كيغالي للمؤتمرات (KCC)، إلا عند الأكل أو الشرب.**



الدخول إلى مكان عقد الجمعية العامة ومواقع اختبار كوفيد-19

قبل الدخول إلى مركز كيغالي للمؤتمرات (KCC)، يرجى التوجه إلى مواقع اختبار كوفيد-19 الواقعة في مركز كيغالي للمؤتمرات (KCC).

- يرجى التسجيل للاختبار (قدمت الأمانة العامة للاتحاد البرلماني الدولي معلومات أساسية من نظام التسجيل الإلكتروني لتسريع العملية). سيتم توفير مجموعة أدوات اختبار، ويمكنكم عندها التوجه نحو حجرة الاختبار الشاغرة.
- سيستغرق إجراء الاختبار من 3 إلى 5 دقائق، ويلزم 5-10 دقائق أخرى حتى تصبح النتائج جاهزة (تتوفر قاعة للانتظار).
- سيتوفر مكتب لنتائج الاختبار في قاعة الانتظار المحددة. وسيتم توفير تفاصيل إضافية عن الإجراء قريباً.
- عند صدور النتيجة سلبية، يرجى التوجه إلى مركز كيغالي للمؤتمرات (KCC) لأخذ شارة التعريف الخاصة بكم.

مركز الاختبار المخصص لكوفيد-19:
مركز كيغالي للمؤتمرات (KCC)، رواندا

للمشاركين المسجلين فقط

يقع مركز الاختبار في خيمة الاختبار الطبي مقابل المدخل الرئيسي لمركز كيغالي للمؤتمرات (KCC).

ساعات عمل مركز الاختبار:

20:00 – 07:00	10.10.2022
09:30 – 07:00	11.10.2022

*ندعو بإلحاح جميع أعضاء الوفود إلى استخدام مرافق الاختبارات يوم 10 تشرين الأول/أكتوبر، قبل بدء اجتماعاتهم لتفادي العراقيل والانتظار. يتوفر الاختبار لغاية انتهاء عقد الجمعية العامة.

المفاتيح الستة (6) دائمة الاستحضار



معلومات عن اختبارات بي سي آر PCR للمغادرة

- لا يعتبر اختبار كوفيد-19 قبل المغادرة إلزامياً للمسافرين الذين لا تتطلب وجهاتهم النهائية ذلك.
- ستتوفر مرافق اختبار كوفيد-19، على نفقة المشاركين الخاصة، في الجمعية العامة الـ145 للاتحاد البرلماني الدولي للمشاركين الذين تتطلب وجهاتهم إثبات اختبار سلبي قبل المغادرة (إما مستضد سريع أو بي سي آر PCR).

معلومات الاتصال في حالات الطوارئ:

يرجى الاتصال بالرقم التالي 781399838(+250)، أو إرسال بريد إلكتروني إلى العنوان التالي:

[.covid@rbc.gov.rw](mailto:covid@rbc.gov.rw)

أهلاً بكم في رواندا، وشكراً لكم على تعاونكم في مكافحة كوفيد-19.





Inter-Parliamentary Union
For democracy. For everyone.

الجمعية العامة الـ145 للاتحاد البرلماني الدولي

كيغالي، رواندا

11 - 15 تشرين الأول/أكتوبر 2022

مرفق رقم 1

إشعار عام بشأن الوقاية من الحمى الصفراء





كيغالي، 18 آذار/مارس 2022

رقم 2022/RBC/1496/20

إشعار عام بشأن الوقاية من الحمى الصفراء

تعلم وزارة الصحة في رواندا عامة الناس (رواندا والمقيمون)، والمسافرين الدوليين الذين يزورون رواندا عن التدابير التالية بشأن الوقاية من الحمى الصفراء.

1. يجب على جميع المقيمين الذين يسافرون إلى بلدان تستوطن فيها الحمى الصفراء أن يتلقوا اللقاح قبل 10 أيام من السفر.
2. للدخول إلى رواندا، إن شهادة التلقيح ضد الحمى الصفراء غير مطلوبة للمسافرين (المقيمين/غير المقيمين) القادمين من بلدان لا تستوطن فيها الحمى الصفراء، ومن دون تفشي نشط لانتقال الحمى الصفراء. يمكنهم تتبع شروط بلدانهم.
3. للدخول إلى رواندا، إن شهادة التلقيح ضد الحمى الصفراء مطلوبة للمسافرين (المقيمين/غير المقيمين) القادمين من بلدان تستوطن فيها الحمى الصفراء، وأي بلد يرد فيه تفشياً نشطاً لانتقال الحمى الصفراء.
4. للمسافرين (المقيمين/غير المقيمين) القادمين من بلد يرد فيه تفشياً نشطاً لانتقال الحمى الصفراء أو قد زاروا مؤخراً (في غضون 24 ساعة) بلداً يرد فيه تفشياً نشطاً لانتقال الحمى الصفراء، ستطبق التعليمات التالية:

I. سيُسمح بالدخول للمسافر (المقيم/غير المقيم) الذي يقدم لدى وصوله:

- شهادة تلقيح ضد الحمى الصفراء صالحة
- لا يعاني من حرارة (أقل من 38.5 درجة مئوية)
- الموافقة على الإبلاغ الذاتي عن أي عوارض لـ 6 أيام.

II. سيُسمح للمسافر (المقيم/غير المقيم) الذي يعاني من حرارة (تزيد أو تساوي 38.5 درجة مئوية)

لدى وصوله أن يدخل إلى رواندا إذا وافق/ت على عزله/ها، وإجراء المزيد من التحقيق حول الحمى الصفراء.

III. إن المسافر (المقيم/غير المقيم) الذي لديه شهادة تلقيح ضد الحمى الصفراء غير صالحة (بعد أقل

من 10 أيام بعد التلقيح)، سيخضع للحجر الصحي إلى أن تصبح الشهادة صالحة.

IV. لدى وصول المسافر (المقيم/غير المقيم) سيتلقى اللقاح في حال كان قادماً من بلد يرد فيه تفشياً

نشطاً لانتقال الحمى الصفراء أو بلد معروف بأنه تستوطن فيه الحمى الصفراء لا يمنح شهادة التلقيح.

V. لن يُسمح بدخول المسافر (المقيم/غير المقيم) الذي لا يوافق على التدابير الوقائية المشار إليها من

النقطة 1 إلى النقطة 4.

VI. تقع التكلفة المرتبطة بالحجر الصحي واللقاح على عاتق المسافر.

وللمزيد من التفاصيل حول البلدان التي يرد فيها خطر انتقال فيروس الحمى الصفراء، يرجى زيارة الموقع

الإلكتروني التالي: www.rbc.gov.rw.

(الختم والتوقيع)

الدكتور نغامبيج م. دانيال

وزير الصحة





Inter-Parliamentary Union
For democracy. For everyone.

الجمعية العامة الـ145 للاتحاد البرلماني الدولي

كيغالي، رواندا

11 - 15 تشرين الأول/أكتوبر 2022

مرفق رقم 2

إرشادات بشأن الوقاية من الملاريا



إرشادات بشأن الوقاية من الملاريا ومكافحتها

1. السياق القُطري للملاريا

إن رواندا بلد يستوطن فيه الملاريا، وجميع مقاطعاته الـ 30 معرضة لخطر الإصابة بالملاريا. وقد بُذلت جهود لتخفيف عبء الملاريا في السنوات القليلة الماضية، وتسجل معظم المقاطعات حالياً انخفاضاً في معدل الإصابة بالملاريا لـ 100 شخص من أصل 1000 من السكان سنوياً. ومع ذلك، على الرغم من هذا التقدم الجيد، يتم تشجيع جميع سكان رواندا والمسافرين من البلدان الشبه موبوءة بالملاريا أو الخالية منها على استخدام التدابير المتاحة للوقاية من الملاريا ومكافحتها في رواندا.

2. التدابير الموصى بها للوقاية من الملاريا

- أ. الناموسيات المعالجة بمبيدات الحشرات ذات الأثر الطويل (الناموسيات)
- ب. الرش الموضعي للأماكن المغلقة
- ج. الوقاية الكيميائية للمسافرين القادمين من البلدان الشبه موبوءة بالملاريا أو الخالية منها
- د. وتشمل التدابير الوقائية الأخرى ما يلي:
 - المنتجات الطاردة للبعوض (موضعية أو مكانية)
 - ملابس واقية
 - فحص/تحصين المنزل
 - إدارة مواقع تكاثر البعوض في المساكن/المنازل وحولها
 - الإدارة البيئية
 - رش الأماكن
 - نظام مكافحة البعوض الإلكتروني والكهربائي
 - إلخ.



3. الوقاية الكيميائية من الملاريا الموصى بها للمسافرين إلى رواندا

أ. أتوفاكون / بروغوانيل (مالارون)

ب. دوكسيساكيلين

ج. ميفلوكين لاريام

ويرجى أخذ العلم أنه يجب تلقي ذلك بناءً على وصفة طبية نظراً لأنها تأخذ بالاعتبار السن، ويتم تقديم تعليمات محددة من قبل مقدم رعاية صحية مؤهل.

4. تدابير محددة للوقاية من الملاريا في الفنادق وأماكن انعقاد الاجتماعات

-منتجات طاردة للبعوض (غسول، أقراص، بخاخ)

-الناموسيات في الفنادق أو مكيفات الهواء بالإضافة إلى نوافذ الغرلة

-التطهير في الفنادق ومكان الانعقاد

-التحقق من عدم وجود مواقع تكاثر البعوض حول الفنادق أو أماكن انعقاد الاجتماعات (مياه راكدة مرئية أو غير مرئية)

5. تشخيص الملاريا وعلاجها

تشمل العلامات والأعراض السريرية الأكثر شيوعاً للملاريا:

أ. الحرارة

ب. الصداع

ج. قشعريرة البرد

د. آلام العضلات

هـ. التعب

و. الغثيان

ز. القيء



وإذا كان لديكم إحدى هذه العلامات والأعراض أو أكثر، ينصح باستشارة أي مرفق صحي أو العاملين الصحيين المجتمعين لإجراء الاختبار. في حال إصابتكم بالمalaria، ستلقون العلاج المناسب وفقاً للإرشادات الوطنية.

وإذا كانت النتيجة سلبية للمalaria، يوصى بإجراء مزيد من التحقيقات لاكتشاف أي أمراض أخرى. ويُصح بشدة المسافرين الذين يظهرون تلك العلامات والأعراض بعد أيام قليلة من وصولهم إلى رواندا أو مغادرتهم رواندا بالتفكير في عدوى malaria واستشارة العيادة.

معلومات للتواصل:

الدكتورة إيمابل مبيتويومورييمي

مدير شعبة مكافحة malaria والأمراض الطفيلية الأخرى

مركز الطب البيولوجي لرواندا

البريد الإلكتروني: aimable.mbituyumuremyi@rbc.gov.rw

الهاتف: +250788486256

www.rbc.gov.rw / info@rbc.gov.rw / جادة KG 646، صندوق البريد: 7162، كيجالي - رواندا

12/12

ترجمة الأمانة العامة للاتحاد البرلماني العربي





Inter-Parliamentary Union

For democracy. For everyone.

145th IPU Assembly

Kigali, Rwanda
11-15 October 2022



145th IPU ASSEMBLY
2022 | Kigali, Rwanda

30 September 2022


HEALTH INFORMATION NOTE

This Health Information Note has been prepared in consultation with the Rwanda Bio Medical Centre and gives due consideration to the current public health circulars and latest situation regarding COVID-19 cases in the city of Kigali. It serves to ensure collective safety and the smooth running of the 145th IPU Assembly and its related meetings. Your compliance is expected for effective implementation of the health protocols.

A passenger locator form is no longer required for entry to Rwanda.

Pre-departure preparations

- All delegates and participants must hold a COVID-19 vaccine certificate, including the holder's full details, information on the vaccines administered, the institution that performed the vaccination, date of complete vaccination (either a single or a double dose of a complete primary series depending on the vaccine). All WHO-recognized vaccinations and Sputnik V vaccination are acceptable. Where applicable, a recovery certificate will also be accepted in lieu of a vaccine certificate.
- All delegates and participants are required to have international health insurance that covers all health care costs in the event of a confirmed COVID-19 case requiring hospitalization.
- All delegates and participants are strongly advised to take a PCR test before departure. As a precautionary measure, all IPU personnel travelling to Kigali will be taking a PCR test 48 hours prior to departure.
- Yellow fever vaccine is not mandatory for travellers coming from yellow fever non-endemic countries, however travellers coming from active yellow fever endemic countries and any country with an active yellow fever transmission outbreak will have to show a vaccination certificate. More guidance on yellow fever prevention is available at this link:
https://www.rbc.gov.rw/fileadmin/user_upload/Public_Notice_on_Yellow_Fever_Prevention.pdf.
- Guidance on malaria prevention is available at this link:
<https://www.ipurwanda2022.rw/index.php?eID=dumpFile&t=f&f=51310&token=2d4e3d9600b1d3e1dd97571975810cfa2d518317>



#IPU145

Measures at the Assembly Venue and Social Events

- **Requirement for Head of State visit:** Regardless of the date of arrival, all delegates and participants, should be tested (**COVID-19 rapid antigen**) on **10 October 2022**. This test will be valid until the end of the Assembly. For those entering the KCC for the first time on 11 October, tests will be available at the COVID-19 testing site until 09:30. This is a requirement according to the health protocol of the Head of State.
- Antigen tests on 10 and 11 October will be provided free of charge, the aim being to ensure a safe environment for all delegates. There will be a priority lane for Speakers of Parliament.
- If a test result is positive, the participant will be treated as indicated in the National COVID-19 Management Guidelines available at www.rbc.gov.rw at his or her own cost, receiving all necessary support from the conference teams. Please ensure that your travel insurance covers costs for a potential COVID-19 infection, treatment and quarantine accommodation.
- **It is strongly recommended to wear a face mask (covering nose and mouth)** at all times in the KCC, except when eating or drinking.

ACCESSING THE ASSEMBLY VENUE AND COVID-19 TESTING SITE

Before entering the KCC, proceed to the **COVID-19 testing site** on the grounds of the KCC.

- Register for the test (the IPU Secretariat has provided basic information from the online registration system to speed up the process). A test kit will be provided and you can then proceed towards an available testing booth.
- The testing procedure will last between 3 and 5 minutes and another 5-10 minutes is required until results are ready (waiting room available).
- The dedicated waiting room will have a test result counter. More details on procedure will be communicated soon.
- Upon testing negative for the antigen test, proceed to the KCC to collect your identity badge.

TESTING CENTRE FOR COVID-19: KIGALI CONVENTION CENTRE, RWANDA

For registered participants only

The **testing centre** is in the medical testing tent opposite the KCC's main entrance.

TESTING CENTRE OPENING HOURS:

10.10.2022	07:00-20:00
11.10.2022	07:00-09:30

* We urgently call upon all members of delegations to **use the testing facilities on 10 October 2022 before their meetings start** to avoid bottlenecks and waiting time. The test is valid until the end of the Assembly.

ALWAYS KEEP THESE 6 KEY POINTS IN MIND



1 Mask
(use covering nose, mouth, and chin)



2 Meters
(at least 1.5m between people)



3 Hands
(frequent hand washing)



4 Fewer contacts
and in a stable bubble



5 More ventilation,
outdoor activities,
and opened windows



6 I stay at home if I have symptoms or I have been diagnosed with COVID, if I am a close contact of a positive case, or awaiting for test results

INFORMATION ON PCR TESTS FOR DEPARTURE

- Pre-departure COVID-19 test is not mandatory for travellers whose final destinations do not require it.
- COVID-19 testing facilities, at participants' own cost, will be available at the 145th IPU Assembly for participants whose destinations require proof of a negative test before departure (either rapid antigen or PCR).

Emergency contact information:

Call (+250)781399838 or email covid@rbc.gov.rw

Welcome to Rwanda and thank you for your cooperation in the fight against COVID-19

REPUBLIC OF RWANDA



MINISTRY OF HEALTH
P.O. Box 84 KIGALI
www.moh.gov.rw

Kigali, 18 MARS 2022
N°20/1496/RBC/2022

PUBLIC NOTICE ON YELLOW FEVER PREVENTION

Rwanda Ministry of Health informs the general public (Rwanda and residents) and international travellers visiting Rwanda the following measures regarding the prevention of Yellow Fever.

1. All residents travelling to Yellow Fever endemic countries should be vaccinated 10 days before travelling.
2. To enter in Rwanda, a Yellow Fever vaccination certificate **is not required** to travelers (Residents/Non-Residents) coming from Yellow Fever non-endemic countries and without an active transmission outbreak of Yellow Fever. They can follow their countries requirements.
3. To enter in Rwanda, Yellow Fever vaccination certificate **is mandatory** to travelers (Residents/Non-Residents) coming from Yellow Fever endemic countries and any country with active Yellow Fever transmission outbreak.
4. For travelers (Resident/Non-Resident) coming from an active Yellow Fever transmission outbreak country or have recently visited (within 24 days) an active Yellow Fever transmission outbreak country, the following instructions will be applied:
 - I. Entry **will be allowed** to a traveler (Resident/Non-Resident) who at arrival presents:
 - A **valid** Yellow Fever vaccination certificate AND
 - Without fever (less than 38.5 ° C) AND
 - Consents to self-report for any symptoms for 6 days.
 - II. A traveler (Resident/Non-Resident) who has fever (≥ 38.5 ° C) on arrival **will be allowed** to enter in Rwanda **if** he/she consents for isolation and further investigation of Yellow Fever.

- III. A traveler (Resident/Non-Resident) with **invalid** Yellow Fever vaccination certificate (**less than 10 days after vaccination**) will be quarantined until the certificate becomes valid.
- IV. A traveler (Resident/Non-Resident) coming from country with active Yellow Fever transmission or known endemic country without Yellow Fever vaccination certificate will be vaccinated upon entry.
- V. **No entry will be allowed** to a traveler (Resident/ Non-Resident) who does not consent for preventive measures described in points 1 to 4.
- VI. The **cost** related to quarantine and vaccination **will be covered by the traveler**.

For more details about countries with risk of Yellow Fever Virus Transmission, please visit www.rbc.gov.rw


Dr. NGAMIJE M. Daniel
Minister of Health



Guidance on Malaria Prevention and Control

1. Country Context in Malaria

Rwanda is a malaria endemic country, and all its 30 districts are at risk of malaria infection. Efforts have been made to reduce malaria burden in the last few years and currently most of districts have low malaria incidence of less than 100 per 1000 population per year. However, despite this good progress, the entire Rwandan Population and travelers from low malaria endemic or malaria free countries are encouraged to always use available malaria prevention and control measures in Rwanda.

2. Recommended Malaria Prevention Measures

- a.** Long Lasting Insecticide Treated Nets (Bednets)
- b.** Indoor Residual Spraying
- c.** Chemoprophylaxis for Travelers coming from Low Endemic or Malaria Free Countries
- d.** Other Prevention Measures include:
 - Mosquito Repellent Products (Topical or Spatial)
 - Protective clothing
 - House screening/proofing
 - Management of mosquito breeding sites in and around dwellings/houses
 - Environmental management
 - Space Spraying
 - Electronic and electrical mosquito control system
 - Etc.

3. Malaria Chemoprophylaxis Recommended to Travelers to Rwanda

- a. Atovaquone/Proguanil (Malarone)
- b. Doxycycline
- c. Mefloquine Lariam

Note that this should be received upon medical prescription since it is age sensitive and specific instructions are provided by a qualified health care provider.

4. Specific Malaria Prevention Measures for Hotels and Meeting Venues

- Mosquito Repellent Products (Lotion, Coils, Spray)
- Mosquito Nets in the Hotels or A/C plus Screening windows
- Fumigation at the Hotels and Venue
- Check if no mosquito breeding sites around hotels or venues (Visible or invisible stagnant water)

5. Malaria Diagnosis and Treatment

The most common clinical signs and symptoms of malaria include

- a. Fever
- b. Headache
- c. Shaking chills
- d. Muscle aches
- e. Tiredness
- f. Nausea
- g. Vomiting

If you have one or more of these signs and symptoms, it is advised to consult any Health Facility or Community Health Workers to be tested. In case you test positive for malaria, you will receive appropriate treatment as per the National Guidelines.

If you test negative for malaria, further investigations are recommended to explore any other diseases.

It is strongly advised to Travelers who present those signs and symptoms few days after arriving to Rwanda or departing from Rwanda to think of Malaria infection and consult the Clinic.

Contact Information:

Dr Aimable MBITUYUMUREMYI

The Malaria and Other Parasitic Diseases Control Division Manager

Rwanda Biomedical Centre

E-mail: aimable.mbituyumuremyi@rbc.gov.rw

Phone: +250788486256